

HPE Smart Choice

Ready to ship, get fast delivery and easy integration.















- Fully configured server solutions tailored to your most important workloads
- Quick quoting, priced to win with aggressive discounts
- In stock for next day delivery
- The performance you want with the speed that you need

Buy now:

[HPE Smart Choice @ Connection](#)



















HPE Smart Choice SKUs

HPE ProLiant Microservers & Towers

<p>HPE Microserver Gen10+V2 SKU: P69102-005</p> <p>Ideal for small office deployment - Setup a new office!</p>  <p>Intel Pentium G6405 4.1GHz 2-core</p> <p>Form Factor: Micro Tower RAM: 1 x 16GB DDR4 Drive: None Power Supply: 1 x 180W</p>	<p>HPE Microserver Gen10+V2 SKU: P69101-005</p> <p>Ideal for small office deployment - Setup a new office!</p>  <p>Intel Xeon E-2314 2.8GHz 4-core</p> <p>Form Factor: Micro Tower RAM: 1 x 16GB DDR4 Drive: None Power Supply: 1 x 180W</p>	<p>HPE Microserver Gen10+V2 SKU: P69103-005</p> <p>Ideal for small office deployment - Setup a new office!</p>  <p>Intel Xeon E-2314 2.8GHz 4-core</p> <p>Form Factor: Micro Tower RAM: 1 x 16GB DDR4 Drive: 1TB SATA Power Supply: 1 x 180W</p>	<p>HPE Microserver Gen11 SKU: P74439-005</p> <p>Small size. Big features!</p>  <p>Intel Pentium G7400 3.7GHz 2-core</p> <p>Form Factor: Micro Tower RAM: 1 x 16GB DDR5 Drive: 1TB SATA Power Supply: 1 x 180W</p>	<p>HPE Microserver Gen11 SKU: P74440-005</p> <p>Simple. Affordable. Powerful.</p>  <p>Intel Xeon E-2434 3.4GHz 4-core</p> <p>Form Factor: Micro Tower RAM: 1 x 32GB DDR5 Drive: 4TB SATA Power Supply: 1 x 180W</p>
<p>HPE ML30 Gen11 SKU: P72995-005</p> <p>Ideal for up to 10 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Intel Xeon 2434 3.4GHz 4-core</p> <p>Form Factor: Tower 8 SFF RAM: 1 x 32GB DDR5 Drive: 2 x 960GB SATA SSD Power Supply: 2 x 500W Adapter: MR216i-p Controller</p>	<p>HPE ML30 Gen11 SKU: P72996-005</p> <p>Ideal for up to 10 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Intel Xeon 2434 3.4GHz 4-core</p> <p>Form Factor: Tower 4 LFF RAM: 1 x 32GB DDR5 Drive: 2 x 2TB SATA SSD Power Supply: 1 x 500W Adapter: MR216i-p Controller</p>	<p>HPE ML110 Gen11 SKU: P69303-005</p> <p>Ideal for up to 10 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Intel Xeon-Silver 4410Y 2.0GHz 12-core</p> <p>Form Factor: Tower 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: MR408i-o Controller</p>	<p>HPE ML110 Gen11 SKU: P71683-005</p> <p>Ideal for up to 22 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Intel Xeon-Bronze 3508U 2.1GHz 8-core</p> <p>Form Factor: Tower 4 LFF RAM: 2 x 32GB DDR5 Drive: 2 x 2TB SATA SSD Power Supply: 2 x 500W Adapter: MR408i-o Controller</p>	<p>HPE ML110 Gen11 SKU: P71687-005</p> <p>Ideal for up to 28 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Xeon-Silver 4514Y 2.0GHz 16-core</p> <p>Form Factor: Tower 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 960GB SATA SSD Power Supply: 2 x 800W Adapter: MR408i-o Controller</p>
<p>HPE ML110 Gen11 SKU: P75329-005</p> <p>Ideal for up to 28 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Xeon-Silver 4510 2.4GHz 12-core</p> <p>Form Factor: Tower 4 LFF RAM: 1 x 32GB DDR5 Drive: 1 x 4TB SATA HDD Power Supply: 2 x 500W Adapter: None</p>	<p>HPE ML110 Gen11 SKU: P71688-005</p> <p>Ideal for up to 10 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Intel Xeon-Silver 4514Y 2.0GHz 16-core</p> <p>Form Factor: Tower 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: MR408i-o Controller</p>	<p>HPE ML350 Gen11 SKU: P69310-005</p> <p>Ideal for up to 22 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Xeon-Silver 4410Y 2.0GHz 12-core</p> <p>Form Factor: Tower 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: MR408i-o Controller</p>	<p>HPE ML350 Gen11 SKU: P69313-005</p> <p>Ideal for up to 28 Virtual Machines with the SMB Solutions for <u>Virtualization</u></p>  <p>Intel Xeon-Gold 5416S 2.0GHz 16-core</p> <p>Form Factor: Tower 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: MR408i-o Controller</p>	













HPE Smart Choice SKUs

HPE ProLiant Rack Servers

<p>HPE DL20 Gen10+ SKU: P69301-005</p> <p>Ideal for up to 20 Remote Workers with the SMB Solutions for Remote Workers</p>  <p>Intel Xeon E-2336 2.9GHz 6-core</p> <p>Form Factor: 1U Rack 4 SFF RAM: 2 x 16GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 500W</p>	<p>HPE DL20 Gen11 SKU: P71682-005</p> <p>Ideal for small Virtualization environments or small offices!</p>  <p>Intel Xeon E2436 2.9GHz 6-core</p> <p>Form Factor: 1U Rack 4 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 960GB SATA SSD Power Supply: 2 x 800W Adapter: MR408i-o Controller</p>	<p>HPE DL320 Gen11 SKU: P69302-005</p> <p>Ideal for small Virtualization environments or small offices!</p>  <p>Intel Xeon-Gold 5416S 2.0GHz 16-core</p> <p>Form Factor: 1U Rack 4 SFF RAM: 2 x 32GB DDR5 Drive: None Power Supply: 2 x 800W Adapter: NS204i-u</p>	<p>HPE DL325 Gen11 SKU: P72990-005</p> <p>Optimized performance for any workload with AMD!</p>  <p>AMD EPYC 9354P 3.25GHz 32-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 4 x 64GB DDR5 Drive: 2 x 1.92TB NVMe SSD Power Supply: 2 x 800W Adapter: MR408i-o Controller</p>	<p>HPE DL345 SKU: P75332-005</p> <p>Optimized performance for any workload with AMD!</p>  <p>AMD EPYC 9354P 3.25GHz 32-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 4 x 64GB DDR5 Drive: 2 x 1.92TB NVMe SSD Power Supply: 2 x 800W Adapter: MR416i-p Controller</p>
<p>HPE DL360 Gen10 SKU: P69746-005</p> <p>Ideal for hosting a Database or Application with the SMB Solutions for Database & Applications</p>  <p>Intel Xeon-Silver 4208 2.1GHz 8-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: P408i-a SR Controller</p>	<p>HPE DL360 Gen10 SKU: P69748-005</p> <p>Ideal for a shared storage solution with the SMB Solutions for Shared Storage</p>  <p>Intel Xeon-Silver 4210R 2.4GHz 10-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: P408i-a SR Controller</p>	<p>HPE DL360 Gen10+ SKU: P69749-005</p> <p>Ideal for a Remote Worker solution with the SMB Solutions for Remote Workers</p>  <p>Intel Xeon-Silver 4314 2.4GHz 16-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: MR416i-a Controller</p>	<p>HPE DL360 Gen10+ SKU: P69298-005</p> <p>High performance Rack Server</p>  <p>Intel Xeon-Silver 4310 2.1GHz 12-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR4 Drive: None Power Supply: 2 x 800W Adapter: NS204i-p</p>	<p>HPE DL360 Gen10+ SKU: P69299-005</p> <p>High performance Rack Server</p>  <p>Intel Xeon-Silver 4310 2.1GHz 12-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR4 Drive: None Power Supply: 2 x 800W Adapter: P408i-a SR Controller</p>
<p>HPE DL360 Gen11 SKU: P71676-005</p> <p>Ideal for a Remote Worker solution with the SMB Solutions for Remote Workers</p>  <p>Intel Xeon-Silver 4509Y 2.6GHz 8-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>	<p>HPE DL360 Gen11 SKU: P71686-005</p> <p>High performance Rack Server</p>  <p>Intel Xeon-Silver 4510 2.4GHz 12-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>	<p>HPE DL360 Gen11 SKU: P71686-005</p> <p>High performance Rack Server</p>  <p>Intel Xeon-Gold 6526Y 2.8GHz 16-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR5 Drive: None Power Supply: 2 x 1000W Adapter: NS204i-u Controller</p>	<p>HPE DL360 Gen11 SKU: P72992-005</p> <p>Ideal for use with an HPE MSA for Backup & Recovery</p>  <p>Intel Xeon-Silver 4514Y 2.0GHz 16-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 4 x 32GB DDR5 Drive: 2 x 960GB SATA SSD Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>	<p>HPE DL360 Gen11 SKU: P72993-005</p> <p>Ideal for use with an HPE MSA for a Shared Storage Solution</p>  <p>Intel Xeon-Silver 4516Y+ 2.2GHz 24-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 64GB DDR5 Drive: None Power Supply: 2 x 1000W Adapter: NS204i-u Controller</p>
<p>HPE DL360 Gen11 SKU: P72994-005</p> <p>Ideal for a Remote Worker solution with the SMB Solutions for Remote Workers</p>  <p>Intel Xeon-Gold 6530 2.1GHz 32-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 64GB DDR5 Drive: None Power Supply: 2 x 1000W Adapter: NS204i-u Controller</p>	<p>HPE DL360 Gen11 SKU: P72987-005</p> <p>Featuring high-performance hard drives for mission-critical and I/O intensive applications</p>  <p>Intel Xeon-Silver 4510 2.4GHz 12-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 1.2TB Mission Critical Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>	<p>HPE DL360 Gen11 SKU: P72985-005</p> <p>Featuring high-performance hard drives for mission-critical and I/O intensive applications</p>  <p>Intel Xeon-Silver 4514Y 2.0GHz 16-core</p> <p>Form Factor: 1U Rack 8 SFF RAM: 4 x 32GB DDR5 Drive: 2 x 1.2TB Mission Critical Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>		

HPE Smart Choice SKUs

HPE ProLiant Rack Servers

<p>HPE DL380 Gen10 SKU: P69751-005</p> <p>Ideal for hosting a Database or Application with the SMB Solutions for Database & Applications</p>  <p>Intel Xeon-Silver 4208 2.1GHz 8-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 2 x 32GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: P408i-a SR Controller</p>	<p>HPE DL380 Gen10 SKU: P69753-005</p> <p>Ideal for up to 13 Virtual Machines with the SMB Solutions for Virtualization</p>  <p>Intel Xeon-Silver 4210R 2.4GHz 10-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 2 x 32GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: P408i-a SR Controller</p>	<p>HPE DL380 Gen10+ SKU: P69754-005</p> <p>Ideal for up to 21 Virtual Machines with the SMB Solutions for Virtualization</p>  <p>Intel Xeon-Silver 4310 2.1GHz 12-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 2 x 32GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: MR416i-a Controller</p>	<p>HPE DL380 Gen10+ SKU: P69755-005</p> <p>Ideal for an SMB HCI Solution with SMB Solutions for HCI</p>  <p>Intel Xeon-Silver 4314 2.4GHz 16-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 4 x 32GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: MR416i-a Controller</p>	<p>HPE DL380 Gen10+ SKU: P69320-005</p> <p>Ideal for up to 21 Virtual Machines with the SMB Solutions for Virtualization</p>  <p>Intel Xeon-Gold 6326 2.9GHz 16-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 1 x 32GB DDR4 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 800W Adapter: MR416i-a Controller</p>
<p>HPE DL380 Gen11 SKU: P71680-005</p> <p>Ideal for hosting a Database or Application with the SMB Solutions for Database & Applications</p>  <p>Intel Xeon-Silver 4509Y 2.6GHz 8-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 1 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>	<p>HPE DL380 Gen11 SKU: P71679-005</p> <p>Ideal for up to 13 Virtual Machines with the SMB Solutions for Virtualization</p>  <p>Intel Xeon-Silver 4510 2.4GHz 12-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>	<p>HPE DL380 Gen11 SKU: P71681-005</p> <p>Ideal for up to 21 Virtual Machines with the SMB Solutions for Virtualization</p>  <p>Intel Xeon-Gold 6526Y 2.8GHz 16-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 4 x 32GB DDR5 Drive: None Power Supply: 2 x 1000W Adapter: NS204i-u Controller</p>	<p>HPE DL380 Gen11 SKU: P72981-005</p> <p>Ideal for use with an HPE MSA for Backup & Recovery</p>  <p>Intel Xeon-Silver 4510 2.4GHz 12-core</p> <p>Form Factor: 2U Rack 12 LFF RAM: 2 x 32GB DDR5 Drive: 2 x 8TB Business Critical Power Supply: 2 x 1000W Adapter: MR416i-o Controller</p>	<p>HPE DL380 Gen11 SKU: P72982-005</p> <p>Ideal for up to 21 Virtual Machines with the SMB Solutions for Virtualization</p>  <p>Intel Xeon-Silver 4514Y 2.0GHz 16-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 4 x 32GB DDR5 Drive: 2 x 480GB SATA SSD Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>
<p>HPE DL380 Gen11 SKU: P72983-005</p> <p>Featuring high-performance hard drives for mission-critical and I/O intensive applications</p>  <p>Intel Xeon-Silver 4510 2.4GHz 12-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 2 x 32GB DDR5 Drive: 2 x 2.4TB Mission Critical Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>	<p>HPE DL380 Gen11 SKU: P72984-005</p> <p>Featuring high-performance hard drives for mission-critical and I/O intensive applications</p>  <p>Intel Xeon-Silver 4514Y 2.0GHz 16-core</p> <p>Form Factor: 2U Rack 8 SFF RAM: 4 x 32GB DDR5 Drive: 2 x 2.4TB Mission Critical Power Supply: 2 x 1000W Adapter: MR408i-o Controller</p>	<div style="border: 1px solid #008000; padding: 10px;"> <h3>Winning with HPE ProLiant - Trusted Security by Design</h3> <p>HPE continues to lead and deliver security innovations from edge to cloud:</p> <p>Chassis intrusion: detects any physical intrusion into the chassis. iLO logs an event when the access panel is opened or closed. Chassis intrusion monitoring and iLO reporting occur as long as the server is plugged in, regardless of the server power state.</p> <p>Bezel Lock: helps prevent unauthorized physical access to the front panel components</p> <p>TPM 2.0 module: The HPE Trusted Platform Module (TPM) works with programs such as Microsoft Windows® BitLocker™ to increase data security by storing the encryption startup key in hardware on the server, which provides a more secure environment by pairing the drive to the server. Pairing the drive to the server helps prevent the encrypted drive from being read if inserted in a different server.</p> </div>		



Buy now:

HPE Smart Choice @ Connection

© Copyright 2024 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.