

























PROFESSIONAL AV MOUNTING SOLUTIONS

QUICK REFERENCE GUIDE



FIXED DISPLAY WALL MOUNTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Height Adjust	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Height Adjust
XSM1U FUSION [™] SERIES		XL 55 - 100"	250 lbs. (113.4 kg)	100 x 100 - 1070 x 600 mm	1" (25 mm)	XSD1U		XL 55 - 100"	310 lbs. (140.6 kg)	50 x 50 - 200 x 200 mm	26" (660 mm)
LSM1U FUSION [™] SERIES		L 42 - 86"	200 lbs. (90.7 kg)	100 x 100 - 871 x 500 mm	1" (25 mm)	LSD1U FUSION [™] SERIES		L Varies by Screen Weight	122 - 175 lbs. (55 - 82 kg)	200 x 200 - 860 x 510 mm	15.75" (400 mm)
LSA1U FUSION [™] SERIES		L 42 - 86"	200 lbs. (90.7 kg)	100 x 100 - 870 x 500 mm	N/A	MSD1U FUSION [™] SERIES		M Varies by Screen Weight	67 - 125 lbs. (30 - 57 kg)	200 x 200 - 871 x 500 mm	15.75" (400 mm)
MSM1U FUSION [™] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	100x 100 - 642 x 400 mm	1" (25 mm)	LSTU THININSTALL [™] SERIES		L 42 - 86"	125 lbs. (56.7 kg)	200 x 200 - 800 x 500 mm	N/A
MSA1U FUSION [™] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 642 x 400 mm	N/A	MSTU THININSTALL [™] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 600 x 400 mm	N/A
FSR1U		S 10 - 40"	45 lbs. (20.4 kg)	50 x 50 - 200 x 200 mm	N/A	OB1U		L 42 - 100"	310 lbs. (140.6 kg)	400 x 100 - 1020 x 500 mm	Lateral Shift: Min. 6.625" - 10.625" max (168 - 269 mm)

TILT DISPLAY WALL MOUNTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Tilt	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Tilt
XTM1U FUSION [™] SERIES		XL 55 - 100"	250 lbs. (113.4 kg)	100 x 100 - 1070 x 600 mm	+5°, -12°	MTMS1U FUSION [™] SERIES		M 32 - 65"	75 lbs. (34 kg)	200x 200 - 455 x 400 mm	+2°, -12°
LTM1U FUSION [™] SERIES		L 42 - 86"	200 lbs. (90.7 kg)	100 x 100 - 878 x 500 mm	+2°, -12°	STM1U FUSION [™] SERIES		S 24 - 42"	75 lbs. (34 kg)	75 x 75 - 300 x 300 mm	+2°, -12°
LTA1U FUSION [™] SERIES		L 42 - 86"	200 lbs. (90.7 kg)	100 x 100 - 879 x 500 mm	+2°, -12°	LTTU THININSTALL [™] SERIES		L 32 - 65"	100 lbs. (45.4 kg)	200 x 200 - 800 x 500 mm	+ 0°, - 12°
MTM1U FUSION [™] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	100 x 100 mm - 650 x 400 mm	+2°, -12°	MTTU THININSTALL [™] SERIES		M 26 - 47"	100 lbs. (45.4 kg)	100 x 100 - 600 x 400 mm	+ 0°, - 12°
MTMPIU FUSION [™] SERIES		M 43 - 47"	200 lbs. (90.7 kg)	100 x 100 - 571 x 600 mm	+5°, -12°	ODMLT OUTDOOR MOUNT SERIES		L 42 - 86"	175 lbs. (79.3 kg)	127 x 100 - 643 x 430 mm	+/-15°
MTA1U FUSION [™] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 650 x 400 mm	+2°, -12°	FTR1U		S 10 - 40"	45 lbs. (20.4 kg)	50 x 50 - 200 x 200 mm	+5°, -15°

SWING ARM DISPLAY WALL MOUNTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Extension	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Extension
TS525TU* THININSTALL™ SERIES		L 42 - 75"	125 lbs. (56.7 kg)	100 x 100 - 800 x 400 mm	25" (635 mm)	TS118SU* THININSTALL™ SERIES		S 10 - 40"	35 lbs. (15.9 kg)	75 x 75 - 200 x 200 mm	18" (457 mm)
TS325TU* THININSTALL™ SERIES		M 32 - 65"	75 lbs. (34 kg)	100 x 100 - 600 x 400 mm	25" (635 mm)	TS110SU* THININSTALL™ SERIES		S 10 - 40"	35 lbs. (15.9 kg)	75 x 75 - 200 x 200 mm	9.9" (251 mm)
TS318TU* THININSTALL™ SERIES		M 32 - 65"	75 lbs. (34 kg)	100 x 100 - 600 x 400 mm	18" (457 mm)	PDRUB		L 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 862 x 517 mm	37" (940 mm)
TS318SU* THININSTALL™ SERIES		M 32 - 65"	75 lbs. (34 kg)	100 x 100 - 600 x 400 mm	18" (457 mm)	PNRUB		L 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 862 x 517 mm	25" (635 mm)
TS218SU* THININSTALL™ SERIES		M 32 - 55"	75 lbs. (34 kg)	100 x 100 - 400 x 400 mm	18" (457 mm)	ODMLA25 OUTDOOR MOUNT SERIES		L 32 - 80"	150 lbs. (68 kg)	75 x 75 - 709 x 444 mm	21.6" (550 mm)

Visit legrandav.com for In-Wall mounting solutions.

MENU BOARD DISPLAY WALL MOUNTS											
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Tilt	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Tilt
LWM5X1U		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	+0°, -20°	LWM2X1U		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	+0°, -20°
LWM4X1U		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	+0°, -20°	LWM3X1UP		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	+0°, -20°
LWM3X1U		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	+0°, -20°	LWM2X1UP		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	+0°, -20°

Additional configurations and accessories for components and larger screens available at legrandav.com

VIDEO WALL DISPLAY MOUNTS											
LED Brand		Product			Equipment Depth Range		Plumb Adjustment				
TILED™ LED SYSTEM SERIES					3.6 - 4.6" (92-118 mm)		1" (25 mm)				
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (WxH)	Total Depth Adjust	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (WxH)	Total Depth Adjust
LVS1U CONNEXSYS™ SERIES		L 42 - 80"	150 lbs. (68 kg)	200 x 100 - 700 x 400 mm	3.4" (85 mm)	LVSXU CONNEXSYS™ SERIES		L 42 - 80"	150 lbs. (68 kg)	200 x 100 - 700 x 400 mm	3.4" (85 mm)
LVS1UP CONNEXSYS™ SERIES		L 40 - 80"	150 lbs. (68 kg)	200 x 100 - 800 x 400 mm	3.45" (85 mm)	LVSXUP CONNEXSYS™ SERIES		L 40 - 80"	150 lbs. (68 kg)	200 x 100 - 800 x 400 mm	3.4" (85 mm)

MOUNT AND VIDEO WALL ACCESSORIES											
Model	Product	Rotation	Adjustment	Model	Product	Orientation	Weight Capacity (per screen)	Model	Product	Weight Capacity (per screen)	Extension
FRA		90°	/	FCASCA		Landscape, Portrait	200 lbs. (90.7 kg)	FCAV1U		150 lbs. (68 kg)	11.54" (293 mm)
FCADA		/	3.25, 4 & 4.75" (83, 102 & 121 mm)	FCAVCA		Landscape, Portrait	200 lbs. (90.7 kg)				

Additional configurations and accessories for components and larger screens available at legrandav.com

IMPACT™ WALL AND FLOOR MOUNTED KIOSKS											
Model	Product	Typical Screen Size	Weight Capacity	Color	Model	Product	Typical Screen Size	Weight Capacity (per screen)	Color		
LW ON-WALL KIOSK SERIES		L 45 - 75"	100 - 175 lbs. (45.3 - 79.4 kg)	B W	LF FLOOR MOUNTED KIOSK SERIES		L 40 - 55"	100 - 125 lbs. (45.3 - 56.7 kg)	B W		

CEILING DISPLAY MOUNTS											
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Tilt	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Tilt
XCM7000 FUSION [®] SERIES		XL 55 - 100"	300 lbs. (136.1 kg)	200 x 100 - 800 x 400 mm	+7.5° / -20°	MCB1U FUSION [®] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 460 x 400 mm	+5°, -20°
XCM1U FUSION [®] SERIES		XL 55 - 100"	250 lbs. (113.4 kg)	200 x 100 - 800 x 400 mm	+5°, -20°	LCM1X2U FUSION [®] SERIES		L 40 - 55"	125 lbs. (56.7 kg)	200 x 100 - 616 x 400 mm	N/A
LCM1U FUSION [®] SERIES		L 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 616 x 400 mm	+5°, -20°	MCM1X2U FUSION [®] SERIES		M 32 - 50"	125 lbs. (56.7 kg)	200 x 100 - 460 x 400 mm	N/A
LCM1UP FUSION [®] SERIES		L 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 460 x 800 mm	+5°, -20°	LCB1X2U FUSION [®] SERIES		L 32 - 60"	100 lbs. (45.4 kg)	200 x 100 - 600 x 400 mm	+5°, -20°
MCM1U FUSION [®] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 460 x 400 mm	+5°, -20°	MCB1X2U FUSION [®] SERIES		M 26 - 50"	100 lbs. (45.4 kg)	200 x 100 - 460 x 400 mm	+5°, -20°
XCB7000 FUSION [®] SERIES		XL 55 - 100"	300 lbs. (136.1 kg)	200 x 100 - 800 x 400mm	+7.5° / -20°	LCM3U FUSION [®] SERIES		L 32 - 65"	125 lbs. (56.7 kg)	200 x 200 - 600 x 400 mm	+5°, -20°
XCB1U FUSION [®] SERIES		XL 55 - 100"	200 lbs. (90.7 kg)	200 x 100 - 800 x 400 mm	+5°, -20°	LCM4U FUSION [®] SERIES		L 32 - 65"	85 lbs. (38.6 kg)	200 x 200 - 600 x 400 mm	+5°, -20°
LCB1U FUSION [®] SERIES		L 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 616 x 400 mm	+5°, -20°	FCSIU CABLE FLOOR-TO- CEILING		Portrait - Min. 49" Landscape - Min. 55"	130 lbs. (59 kg)	200 x 200 - 862 x 517 mm	N/A

VIDEO WALL DISPLAY CEILING MOUNTS										
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	
LCM2X2U FUSION [®] SERIES		L 42 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	LCM3X2UP FUSION [®] SERIES		L 40 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	
LCM2X2UP FUSION [®] SERIES		L 40 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	LCM3X3U FUSION [®] SERIES		L 42 - 46"	85 lbs. (38.6 kg)	Any Width x 100 - 400 mm	
LCM3X2U FUSION [®] SERIES		L 42 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm						

Additional configurations and accessories for larger displays and components available at legrandav.com

MENU BOARD DISPLAY CEILING MOUNTS										
Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	
LCM2X1U FUSION [®] SERIES		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	LCB2X1U FUSION [®] SERIES		L 40 - 55"	100 lb. (45.4 kg)	Any Width x 100 - 400 mm	
LCM2X1UP FUSION [®] SERIES		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	LCB2X1UP FUSION [®] SERIES		L 40 - 55"	100 lb. (45.4 kg)	Any Width x 100 - 800 mm	
LCM3X1U FUSION [®] SERIES		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	LCB3X1U FUSION [®] SERIES		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	
LCM3X1UP FUSION [®] SERIES		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	LCB3X1UP FUSION [®] SERIES		L 40 - 55"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	

Additional configurations and accessories for larger displays and components available at legrandav.com

BOLT-DOWN DISPLAY MOUNTS

Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range
XBM1U FUSION [®] SERIES		XL 55 - 100"	250 lbs. (113.4 kg)	100 x 100 - 900 x 400 mm	NA	PFB1UB		L 42 - 86"	150 lbs. (68 kg)	200 x 200 - 860 x 515 mm	51.4 - 85.4" (1305 - 2169 mm)
XBM1UP FUSION [®] SERIES		XL 55 - 100"	250 lbs. (113.4 kg)	100 x 100 - 800 x 900 mm	NA	PFB2UB		L 42 - 75"	125 lbs. (56.7 kg) per screen	200 x 200 - 860 x 515 mm	51.4 - 85.4" (1305 - 2169 mm)

BOLT-DOWN VIDEO WALL DISPLAY MOUNTS

Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)
LBM1X2U FUSION [®] SERIES		L 42 - 80"	125 lbs. (56.7 kg)	100 x 100 - 900 x 400 mm	LBM2X2UP FUSION [®] SERIES		L 42 - 50"	100 lbs. (45.4 kg)	Any Width x 100 - 800 mm
LBM1X2UP FUSION [®] SERIES		L 42 - 80"	125 lbs. (56.7 kg)	100 x 100 - 800 x 900 mm	LBM3X2U FUSION [®] SERIES		L 42 - 46"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm
LBM1X3U FUSION [®] SERIES		L 42 - 65"	125 lbs. (56.7 kg)	100 x 100 mm - 900 x 400 mm	LBM3X3U FUSION [®] SERIES		L 42 - 46"	100 lbs. (45.4 kg)	Any Width x 100 - 400 mm
LBM3X1UP FUSION [®] SERIES		L 42 - 46"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm	LBM3X2UP FUSION [®] SERIES		L 42 - 46"	100 lbs. (45.4 kg)	Any Width x 100 - 800 mm

Additional configurations and accessories for larger displays and components available at legrandav.com

FREESTANDING VIDEO WALL DISPLAY MOUNTS

Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)	Model	Product	Screen Size	Weight Capacity (per screen)	Mounting Patterns (W,H)
LVM2X2U FUSION [®] SERIES		L 42 - 50"	125 lbs. (56.7 kg)	Any Width x 100 - 400 mm	LVM3X2UP FUSION [®] SERIES		L 42 - 46"	100 lbs. (45.4 kg)	Any Width x 100 - 800 mm
LVM2X2UP FUSION [®] SERIES		L 42 - 50"	100 lb. (45.4 kg)	Any Width x 100 - 800 mm	LVM3X3U FUSION [®] SERIES		L 42 - 46"	100 lbs. (45.4 kg)	Any Width x 100 - 400 mm
LVM3X1UP FUSION [®] SERIES		L 42 - 46"	125 lbs. (56.7 kg)	Any Width x 100 - 800 mm					

FREESTANDING DISPLAY MOUNTS

Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range
PFIU		L 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 862 x 517 mm	51.4 - 85.4" (1305 - 2169 mm)	PRSU		L 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 860 x 515 mm	45 - 72" (1142 - 1828 mm)
LFAU FUSION [®] SERIES		L 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 800 x 400 mm	44.5 - 64.5" (1131 - 1639 mm)	MFAU FUSION [®] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 600 x 400 mm	44.5 - 64.2" (1130 - 1630 mm)
MFIU		M 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 709 x 431 mm	50.8 - 84.8" (1289 - 2153 mm)						

Additional configurations and accessories for larger displays and components available at legrandav.com

FLOOR MOUNT AND FLOOR SUPPORT MOUNTING SYSTEMS

Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Table Range	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Dynamic Height Adjustment
AVSFSS TEMPO [™] SERIES		M L 55 - 100"	200 lbs. (90.7 kg)	Only with Chief mounts: LTM1U/LSM1U/RXF2/ RLF2, RMF2/MTM1U/ MSM1U	51.6 - 65.6" (131 - 1666 mm) Fusion Mounts; 54.4 - 68.4" (1382 - 1737 mm) FIT Mounts	LFD1U FUSION [®] SERIES		L	122 - 180 lbs. (55.4 - 82 kg)	200 x 200 - 800 x 400 mm	15.75" (400 mm)
XFA1U FUSION [®] SERIES		XL 55 - 100"	300 lbs. (136 kg)	200 x 200 - 800 x 400 mm	42 - 59.6" (1066 - 1515 mm)	MFD1U FUSION [®] SERIES		M	67 - 130 lbs. (30.4 - 59 kg)	200 x 200 - 800 x 400 mm	15.75" (400 mm)

ELECTRIC HEIGHT ADJUST DISPLAY MOUNTS

Model	Product	Screen Size	Application	Weight Capacity	Center of Display to Floor Range	Mounting Pattern Range	Vertical Lift	Leveling Adjustment
XSD1U		XL 55 - 100"	Wall Mounted	310 lbs. (140.6 kg)	N/A	200 x 200 - 860 x 510 mm	26" (660 mm)	Up to 1.5" (38 mm)
XFD1U		XL 55 - 100"	Floor Support	310 lbs. (140.6 kg)	35.96 - 61.55" (913 - 1563 mm)	200 x 200 - 860 x 510 mm	26" (660 mm)	Up to 1.5" (38 mm)
XPD1U		XL 55 - 100"	Cart	310 lbs. (140.6 kg)	41.7 - 67.3" (1057 - 1708 mm)	200 x 200 - 860 x 510 mm	26" (660 mm)	Up to 1.5" (38 mm)
LFE1U		L 50 - 80"	Floor Support	200 lbs. (90 kg)	36.3 - 61.9" (922 - 1522 mm)	200 X 200 - 860 X 510 mm	26" (660 mm)	Up to 1.5" (38 mm)
LPE1U		L 50 - 80"	Cart	200 lbs. (90 kg)	42.1" - 67.7" (1069 - 1719 mm)	201 X 200 - 860 X 510 mm	26" (660 mm)	Up to 1.5" (38 mm)

CARTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Dynamic Height Adjustment	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Dynamic Height Adjustment
LPDIU FUSION [®] SERIES		L	122 - 180 lbs. (55.4 - 82 kg)	200 x 200 - 800 x 400 mm	15.75" (400 mm)	MPDIU FUSION [®] SERIES		M	67 - 130 lbs. (30.4 - 59 kg)	200 x 200 - 800 x 400 mm	15.75" (400 mm)
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Center of Display to Floor Range
XVMIU		XL 55 - 100"	310 lbs. (140.6 kg)	1200, 1100, 1000, 900, 800, 700, 600, 500, 400 x 600 or 400 mm	N/A	PFCU FUSION [®] SERIES		L 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 862 x 517 mm	48 - 72" (1219 - 1829 mm)
XPA1U FUSION [®] SERIES		XL 55 - 100"	300 lbs. (136 kg)	200 x 200 - 800 x 400 mm	48 - 65" (1220 - 1650 mm)	MFCUB		M 32 - 65"	125 lbs. (56.7 kg)	100 x 100 - 709 x 431 mm	48 - 72" (1219 - 1829 mm)
XVAUB FUSION [®] SERIES		XL 55 - 70"	250 lbs. (113.4 kg)	200 x 200 - 800 x 400 mm	41.9 - 50.4" (1064 - 1280 mm)	MPAU FUSION [®] SERIES		M 32 - 65"	125 lbs. (56.7 kg)	200 x 100 - 600 x 400 mm	50 - 70" (1270 - 1770 mm)
LPAU FUSION [®] SERIES		L 42 - 86"	200 lbs. (90.7 kg)	200 x 200 - 800 x 400 mm	50 - 70" (1270 - 1770 mm)						

TABLE STAND DISPLAY MOUNTS											
Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Swivel Options	Model	Product	Screen Size	Weight Capacity	Mounting Patterns (W,H)	Swivel Options
LDBIU		L 46 - 70"	125 lbs. (56.7 kg)	100 x 100 - 642 x 400 mm	+/- 15° or 30°	PTSU		M 32 - 52"	100 lbs. (45.4 kg)	200 x 200 - 860 x 515 mm	N/A
LDSIU		L 46 - 70"	125 lbs. (56.7 kg)	100 x 100 - 642 x 400 mm	+/- 15° or 30°	STLU		M 32 - 52"	125 lbs. (56.7 kg)	100 x 100 - 600 x 400 mm	+/- 15°, 30°, 45° or 90°
PSSUB		M 32 - 50"	150 lbs. (68 kg)	200 x 200 - 862 x 517 mm	N/A	STS1		S 18 - 30"	30 lbs. (13.6 kg)	75 x 75 - 100 x 100 mm	90°, 180°, 270°

CEILING PROJECTOR MOUNTS									
Model	Product	Weight Capacity	Roll, Pitch, and Yaw	Color	Model	Product	Weight Capacity	Roll, Pitch, and Yaw	Color
VCMU		250 lbs. (113.4 kg)	5°, 20°, 360°	B W	RSAU RPA SERIES		25 lbs. (11.3 kg)	3°, 20°, 360°	
VCTU*		150 lbs. (68 kg)	Micro Roll +/- 5° Micro Pitch +/- 20° Micro Yaw +/- 10° Macro Yaw 360°	B W	VPAU		75 lbs. (34 kg)	+/- 95°, 360°, 360°	B W
RPAU* RPA ELITE SERIES		50 lbs. (22.7 kg)	3°, 20°, 360°	B S W	SYSAU* SUSPENDED CEILING PROJECTOR SYSTEM		35 lbs. (15.9 kg)	3°, 10°, 360°	B W
RPAU RPA SERIES		50 lbs. (22.7 kg)	4°, 25°, 360°	B S W	PROJECTOR MOUNT KITS		Various projector mounting kits available		
RMAU* RPA ELITE SERIES		25 lbs. (11.3 kg)	3°, 15°, 360°	B S W					

*MicroZone Adjustment

AUTOMATED CEILING PROJECTOR MOUNTS									
Model	Product	Extension	Weight Capacity	Max Projector Size (HxWxD)	Model	Product	Extension	Weight Capacity	Max Projector Size (HxWxD)
SL220 SMART-LIFT		8.5" (216 mm)	30 lbs. (13.6 kg)	9.5 x 16.5 x 18.5" (241 x 419 x 470 mm)	SL151 SMART-LIFT		8.5" (211 mm)	35 lbs. (15.9 kg)	8.4 x 18.3 x 18.3" (213 x 464 x 464 mm)
SL236 SMART-LIFT		36" (914 mm)	35 lbs. (15.9 kg)	9.3 x 20.5 x 22.8" (235 x 521 x 578 mm)					

WALL PROJECTOR MOUNTS									
Model	Product	Extension	Weight Capacity	Lateral Shift	Model	Product	Extension	Weight Capacity	Lateral Shift
WM110AUS WM SERIES		11.3 - 18" (286 - 457 mm)	50 lbs. (22.7 kg)	N/A	WM220AUS WM SERIES		17.5 - 30" (457 - 762 mm)	25 lbs. (11.3 kg)	10" (254 mm)
WM120AUS WM SERIES		16 - 29" (406 - 724 mm)	25 lbs. (11.3 kg)	N/A	WM230AUS WM SERIES		29.5 - 55" (762 - 1372 mm)	25 lbs. (11.3 kg)	10" (254 mm)
WM130AUS WM SERIES		28 - 53" (711 - 1334 mm)	25 lbs. (11.3 kg)	N/A	WMA1S		11.5 - 19" (2921 - 482.6 mm)	Concrete & Wood 150 lbs. (68 kg) Steel stud 50 lbs. (22.7 kg.)	NA
WM210AUS WM SERIES		12.8 - 20" (324 - 495 mm)	25 lbs. (11.3 kg)	10" (254 mm)	WMA2S		13 - 21" (330.2 - 533.4 mm)	Concrete & Wood 150 lbs. (68 kg) Steel stud 50 lbs. (22.7 kg.)	NA

DESK MONITOR MOUNTS									
Model	Product	Monitor Configuration	Minimum Depth from Back of Desk	Maximum Extension	Manual Height Adjust	Dynamic Height Adjust	Weight Capacity (per monitor)	Colors	
KXD220		DUAL	2.45" (62 mm)	20.6" (400 mm)	N/A	13" (330 mm)	5 - 25 lbs (2.3 - 10 kg)	B	S W
KXC220		DUAL	2.45" (62 mm)	22.5" (571 mm)	7" (178 mm)	13" (330 mm)	5 - 25 lbs (2.3 - 10 kg)	B	S W
KXC330		TRIPLE	2.45" (62 mm)	22.5" (352 mm)	7" (178 mm)	13" (330 mm)	5 - 20 lbs (2.3 - 10 kg)	B	S W
KXC420		QUAD	2.45" (62 mm)	22.5" (523 mm)	7" (178 mm)	13" (330 mm)	5 - 20 lbs (2.3 - 10 kg)	B	S W
Model	Product	Dynamic Height Adjustment	Weight Capacity (per monitor)	Colors	Model	Product	Dynamic Height Adjustment	Weight Capacity (per monitor)	Colors
K1C110		13.0" (330 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S W	K1D120		13.0" (330 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S W
K1C120		13" (330.2 mm)	2.3 - 9.9 kg	B S W	K1D22H		13.0" (330 mm)	2 - 9 lbs. (0.9 - 4.1 kg)	B
K1C210		13" (330.2 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S	K1D220		13.0" (330 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S W
K1C22H		13" (330.2 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S	K2C110		7.0" (178 mm)	40 lbs. (18.1 kg)	B S
K1C220		13" (330.2 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S W	K2C120		7.0" (178 mm)	40 lbs. (18.1 kg)	B S
K1C330		13" (330.2 mm)	5 - 20 lbs. (2.3 - 9.07 kg)	B S W	K2C22H		7.0" (178 mm)	5 - 25 lbs. (2.3 - 11.3 kg)	B S
K1C420		13.0" (330 mm)	5 - 20 lbs. (2.3 - 9.07 kg)	B W	K2C220		7.0" (178 mm)	25 lbs. (11.3 kg)	B S

Various configurations and mounting options available on legrandav.com

IN-WALL STORAGE BOXES									
Model	Product	Weight Capacity	Dimensions	Colors	Model	Product	Weight Capacity	Dimensions	Colors
PAC525F		10 lbs. (4.5 kg)	9 x 14.25 x 3.9" (229 x 362 x 98 mm)	B W	PAC527F		40 lbs. (18.1 kg)	14.25 x 22 x 3.9" (362 x 559 x 98 mm)	B W
PAC526F		10 lbs. (4.5 kg)	14.25 x 14.25 x 3.9" (362 x 362 x 98 mm)	B W					

Various configurations and mounting options available on legrandav.com

COMPONENT STORAGE PANELS									
Model	Product	Weight Capacity	Dimensions	Features	Model	Product	Weight Capacity	Dimensions	Features
CSPH		20 lbs. (9 kg)	27.31 x 14.40 x 1.15" (693 x 366 x 29 mm)	Hinges 90° for ease of access to components	CSMP9X12		10 lbs. (4.5 kg)	12 x 9 x 0.5" (304 x 228 x 12 mm)	Mounts between any display and any universal mount
CSPR		20 lbs. (9 kg)	24.22 x 10.4 x 1.15" (615 x 264 x 29 mm)	Removable for component service without moving the display	CSSMP15X10		15 lbs. (6.8 kg)	22.71 x 10.61 x 0.5" (533 x 576 x 12 mm)	Slide out removable Lever Lock™ panel
CSPBPTA		20 lbs. (9 kg)	13.25 x 27.75 x 0.75" (336 x 704 x 19 mm)	Compatible with both TA500 and TA501					

Various configurations and mounting options available on legrandav.com